

AssureTouch® Ultra Tough



TECHNICAL DATA SHEET

FEATURES & BENEFITS

- Made from industrial quality nitrile to provide strong tear resistance without compromising comfort or fit.
- Textured fingertips ensure a secure grip, even when wet.

RECOMMENDED USE

- Non-sterile, single use, medical examination gloves are intended to prevent transmission of a wide variety of diseases to both patients and health care personnel. Specifically, gloves are intended to act as a barrier between the healthcare provider and patients to prevent contamination between patient and caregiver.

PRODUCT DETAILS

Product Name:	Medicom AssureTouch® Ultra Tough Nitrile Powder-Free Medical Examination Gloves
Product Type:	Single-use, non-sterile, ambidextrous
Material:	Nitrile
Colour:	Black
Quantity per Box:	100
Specs:	5 mil, 6.5 g
Country of Origin:	China

CERTIFICATION & STANDARDS

ISO 13485 certified manufacturer.
Class 2 Medical Device.
Health Canada registered medical device manufacturer.

STORAGE CONDITIONS

These gloves should be disposed of after each use.
Store in a cool, dry place.
Avoid excessive heat (40 °C or 104 °F).
Recommended storage temperature: 10-30 °C.
Shield open box from direct sun and fluorescent light.

GLOVE SPECIFICATIONS					
CHARACTERISTIC			TEST METHODS	ACCEPTABLE LIMIT	
Dimension & Tolerance	Width (mm)		ASTM D 3767	Extra-Small (XS)	60 - 85
				Small (S)	70 - 90
				Unisize	75 - 95
				Medium (M)	85 - 105
				Large (L)	101 - 121
				Extra-Large (XL)	110 - 130
				XX-Large (XXL)	120 - 140
	Length (mm)			XS & S: ≥ 220 Others: ≥ 230	
Thickness (mm)	Palm	≥ 0,05			
	Finger				
Water Tightness Test (Freedom from Holes)			ASTM D 5151	As prescribed by Inspection Level and AQL	
Physical Requirement	Before Ageing	Tensile Strength	ASTM D 412	≥ 14 MPa	
		Ultimate Elongation		≥ 500%	
	After Ageing	Tensile Strength		≥ 14 MPa	
		Ultimate Elongation		≥ 400%	
Powder Residue	Powder Free Gloves		ASTM D 6124	≤ 2,0 mg/glove, Inspection Level N=5	
	Powdered Gloves			≤ 10,0 mg/dm2, Inspection Level N=2	

