

LINCOLN

Rotunda



MACH E Lift Guidelines

ROTARY TWO-POST LIFTS SPO10 / SPOA10 / SPO12

FJ6237 ADAPTER for SPOA10 / SPO10 / SPO12



SPOA10 with round TRIO arms Rounded corner clears when removing battery

SHOWN: FJ6244 ADAPTER

Arm corner interferes when removing battery

ROTUNDA CONTACT INFO: rotunda@service-solutions.com

ACCEPTABLE APPLICATION:

SPO10 / SPOA10 / SPO12 with standard 3-stage arms

FJ6237 ADAPTER for SPOA10 / SPO10 / SPO12 lifts with 3-section arms. NEED 4 EACH

FJ6244 ADAPTER for SPOA10 lifts with round TRIO arms. NEED 4 EACH

SPOA10 with round TRIO arms Rounded corner clears when removing battery

WILL NOT WORK

SPOA10 with Squared-Off TRIO Arms. CONVERT THIS TO ROUND TRIO ARMS ORDER #N2393N2394YL with FJ6244 ADAPTERS

OneRotunda.com 1-800-ROTUNDA

Septembre 2022





MACH E Lift Guidelines

THE FUTURE LOOKS WIDE

SPECIFICATIONS SMARTLIFT MODELS LI SLW210-RA THREE-STAGE TRIO ARMS ound Adapters (RA)

er Rotary Lift

LE E SLW210-TA THREE-STAGE TRIO ARMS Truck Adapters (TA)



ROTUNDA CONTACT INFO: rotunda@service-solutions.com

ACCEPTABLE APPLICATION WIDE SMARTLIFT®

SLW210 INGROUND LIFT 10,000 lbs. & 12,000 lbs. CAPACITIES Be ready to service the next generation of vehicles with a lift designed to service battery electric, exotic, and standard vehicles.

> OneRotunda.com 1-800-ROTUNDA



ELECTRIC VEHICULE FOOTPAD KIT

Part# **TFPK**

Supports the new FORD Mustang Mach-E



Part# TFPK (under car view)



For more information, contact your FSE or ASM



Challenger's EV Footpad kit

Challenger's TFPK, Supports the new FORD Mustang Mach-E

"These lift pads are the solution! [T]hey provide a lot more surface area to contact the vehicle lift adaptors and the non-slip surface prevents any movement. These are perfect for this application. I shook the car vigorously from side to side and front to back and the Challenger lift pads did not move at all.... These are safe and secure providing 100% confidence."

Brian Beran Service Training Instructor, California TFO Market FCSD Service Engineering Operations









10,000 lb. Premium Versymmetric[®] Lift

MODEL # CL10V3

Boost productivity and reduce frustration with Challenger's CL10V3 2-Post lift. Utilizing Versymmetric® Technology the 2-Post allows for servicing of a wide range of vehicles. • Fast & easy vehicle positioning with Versymmetric® Technology. Lift symmetrically or asymmetrically, all with one lift. • Double screw up footpad for wider range of lifting and 3-Stage offset front and rear arms allow for easier vehicle positioning. • Designed with heavy-duty columns, carriages, and pulleys to increase the lift's longevity.

12,000 lb. Premium Lift

MODEL # CL12

Challenger's 12,000 lb. capacity CL12 2-post lift maximizes your profitability with true 3-stage front and 3-stage rear arms. The CL12 can accommodate a wide range of common cars, trucks, vans as well as SUVs within the same service bay.

• 3-stage front and 3-stage rear arms accommodate a wide range of common cars,

trucks, vans as well as SUVs within the same service bay.

• Adjustable column height accommodates higher profile vehicles and provides maximum headroom to work underneath vehicles.

6" height adjustability on standard models provides allowance for ceiling obstruction, easing installation.
Designed with heavy-duty columns, carriages, and pulleys to increase the lift's longevity.

For more information, contact your FSE or ASM